

■ CK13 MSVA-613M weak (%)
 ■ CK13 MSVA-613M moderate (%)
 ■ CK13 MSVA-613M strong (%)

% of tumor samples

0.0 10.0 20.0 30.0 40.0 50.0 60.0 70.0 80.0 90.0 100.0

Non-invasive papillary urothelial carcinoma, pTa G2 low grade (n=130)
 Brenner tumor (n=38)
 Squamous cell carcinoma of the cervix (n=295)
 Squamous cell carcinoma of the pharynx (n=56)
 Non-invasive papillary urothelial carcinoma, pTa G2 high grade (n=113)
 Squamous cell carcinoma of the anal canal (n=79)
 Squamous cell carcinoma of the larynx (n=97)
 Squamous cell carcinoma of the vagina (n=71)
 Non-invasive papillary urothelial carcinoma, pTa G3 (n=136)
 Squamous cell carcinoma of the lung (n=68)
 Squamous cell carcinoma of the penis (n=77)
 Squamous cell carcinoma of the bladder (n=20)
 Urothelial carcinoma of the kidney pelvis (n=61)
 Oral squamous cell carcinoma (floor of the mouth) (n=127)
 Squamous cell carcinoma of the vulva (n=121)
 Urothelial carcinoma, pT2-4 G3 (n=578)
 Squamous cell carcinoma of the esophagus (n=70)
 Squamous cell carcinoma of the skin (n=87)
 Thymoma (n=25)
 Endometrioid carcinoma of the ovary (n=59)
 Ductal adenocarcinoma of the pancreas (n=67)
 Sarcomatoid urothelial carcinoma (n=21)
 Adenocarcinoma of the cervix (n=52)
 Pancreatic/Ampullary adenocarcinoma (n=24)
 Carcinosarcoma of the uterus (n=18)
 Teratoma (n=32)
 Gastric adenocarcinoma, intestinal type (n=78)
 Mucinous carcinoma of the ovary (n=46)
 Serous carcinoma of the ovary (n=124)
 Endometrioid endometrial carcinoma (n=49)
 Basal cell carcinoma (n=74)
 Yolk sac tumor (n=40)
 Papillary thyroid carcinoma (n=381)
 Invasive breast carcinoma of no special type (n=1400)
 Adenocarcinoma of the esophagus (n=80)
 Pancreas, neuroendocrine tumor (NET) (n=88)
 Adenocarcinoma of the lung (n=182)
 Lobular carcinoma of the breast (n=274)

