




MS

# Validated Antibodies

Large-Scale Validated Antibodies for  
Immunohistochemistry.



[www.ms-validatedantibodies.com](http://www.ms-validatedantibodies.com)

---

Catalog 2023

**MS Validated Antibodies GmbH**

Bergstedter Chaussee 62a

22395 Hamburg

Tel: +49 (0) 40 89 72 55 81

E-Mail: [info@ms-validatedantibodies.com](mailto:info@ms-validatedantibodies.com)

**Website: [ms-validatedantibodies.com](http://ms-validatedantibodies.com)**




**SCAN ME**

For information on the specific selection and validation of MSVA antibodies,  
see page 2-12.

Our product overview and the individual antibodies can be found on page  
13-30.

„With the current data on the market pathologists or researchers know only a little part of the behavior of an antibody. The rest is unknown.“


Usually, antibody vendors provide very little information and images on how an antibody stains. References are often limited to a positive and a negative control on their website. When pathologists and researchers use these antibodies, they don't know about the complete staining behavior of an antibody because often they do not have time or access to enough different tissues to conduct an in-house validation of the antibody. This can cause severe problems because researchers cannot know if they can trust the antibody and the data they have generated in their studies.



The goal of MS Validated Antibodies is to reveal 100% of the staining characteristics of an antibody so pathologists and researchers know exactly what stainings are to be expected.

# MS Validated Antibodies


1. Large-scale tissue-validated antibodies specifically designed for immunohistochemistry on formalin-fixed tissue
2. Unique antibody documentation on the MSVA website with 60-100 images of relevant normal tissues and selected tumors
3. Documented performance characteristics of many antibodies in studies involving more than 10,000 tumors



**MS Validated Antibodies** is dedicated to providing optimal monoclonal antibodies for immunohistochemistry and providing users with unique product documentation that allows them to better understand their antibodies. Key features of the MSVA package include:

- Strict product selection criteria: Only 135 of the first 4,500 antibodies evaluated were selected for the MSVA portfolio.
- **Protocol recommendations** for manual staining and Autostainers (Dako, Leica, Ventana).
- Published **data on the performance characteristics** of our antibodies are compiled on the MSVA website (if available).

# TACSTD2 / Trop-2 (MSVA-733R) gallery of normal tissue (>50 tissues) on our website



# Antibody Validation for Immunohistochemistry

Antibodies intended for use on formalin-fixed tissue must be specifically validated on formalin-fixed tissue. According to the **International Working Group for Antibody Validation (IWGAV)**, there are only two ways to document the specificity of antibodies for immunohistochemistry on this type of tissue. These are:

## 1. Orthogonal strategy

This means the comparison with a second independent method for measuring expression across a large number of different tissue types.

## 2. Independent antibody strategy

This means a comparison with one or more independent antibodies for the same target protein. Specific staining is achieved with both antibodies, while staining found with just one antibody must be considered non-specific or cross-reactive.

## Hands-on Approach

To ensure the best possible validation and to avoid the problem of non-specific antibodies, MS Validated Antibodies combines both approaches. The resulting abundance of information on the antibodies is available on our website.

### 1) Look up

First, we look up the RNA data from the Human Protein Atlas ([humanproteinatlas.org](http://humanproteinatlas.org)). It shows in which tissues staining is to be expected.

For example, a PLAP antibody is expected to stain almost exclusively in the female genital tract (placenta).





Image Credit: Human Protein Atlas / data available on [https://www.proteinatlas.org/ENSG00000163283-ALPP/tissue \(v#21.1\)](https://www.proteinatlas.org/ENSG00000163283-ALPP/tissue (v#21.1))

## 2) Comparison of Antibodies



MSVA Product Candidate #1

Not Approved – cross-reactive




Established IVD Product on the market

Established antibody on the market shows also cross-reactivity

Final Clone MSVA-350R



Approved – no cross-reactivity



The comparison with other MSVA product candidates and (at least) one other independent and established clone on the market confirms the placenta staining as specific. In the images above, additional stainings outside of the placenta are both "antibody-specific" and represent cross-reactivities.

We test product candidates until we find a suitable candidate. If not, we will not approve the antibody.

Our PLAP clone MSVA-350R only stains placenta  
on a TMA test.



MS

# MSVA website - a useful guide for our antibody users.

We provide our own validation data as well as links to other relevant sources such as the Human Protein Atlas, the TCGA database or published studies. Most of the information is underlined with images, graphics, and tables.


## Compatibility of Antibodies



We summarize data from studies that used the MSVA antibodies and our recommended protocols.

Data from the publication: "[Pattern of placental alkaline phosphatase \(PLAP\) expression in human tumors: a tissue microarray study on 12,381 tumors](#)". Published by Reiswich et al. in the journal of Pathology: Clinical Research, August 7th 2021.  
Summarized in own graphics:

### 1. PLAP staining in tumors "ranking order" by positivity with antibody **MSVA-350R**.



### 2. Table Clinico-pathological associations described by Reiswich et al. (p-value)

	Association P-value					
	Positivity rate	pT	pN	L1	L2	Microsatellite instability
Serous ovarian cancer	49,8	n.s.	n.s.	-	-	-
Endometrioid ovarian cancer	58,2	n.s.	n.s.	-	-	-
Endometrioid endometrial cancer	59,6	<b>0,0043</b>	n.s.	-	-	-
Colorectal adenocarcinoma	10,3	<b>0,0086</b>	<b>0,0058</b>	<b>0,0007</b>	<b>0,0222</b>	n.s.

n.s. = not significant ( $p>0.05$ ), - = not analyzed


## Protocol Recommendations



We offer protocol recommendations for manual protocols and Autostainers from Dako, Leica and Ventana.

### Agilent / Dako – Autostainer Link 48


Pretreatment in PT-Link for 30 minutes at 95°C (pH high); FLEX peroxidase blocking for 5 minutes (room temperature), MSVA-350R 1:150 for 20 minutes (room temperature), FLEX+ mouse/rabbit (LINKER) for 15 minutes (room temperature), horseradish peroxidase (HRP) for 20 minutes (room temperature), FLEX DAB+Sub-Chromo for 10 minutes (room temperature), FLEX hematoxylin for 5 minutes (room temperature).



Dako – Placenta




Dako – Kidney



Dako – Esophagus Adenocarcinoma

### Leica – BOND RX


Dewax at 72°C for 30 seconds; Pretreatment in Bond Epitope Retrieval Solution (ER2 – EDTA pH9) for 20 minutes at 100°C; Peroxidase blocking for 5 minutes (room temperature), MSVA-350R 1:150 for 15 minutes (room temperature), Post primary (rabbit anti mouse) for 8 minutes (room temperature), Polymer (goat anti rabbit) for 8 minutes (room temperature), mixed DAB refine for 10 minutes (room temperature), hematoxylin for 5 minutes (room temperature).



Leica – Placenta




Leica – Kidney




Leica – Esophagus Adenocarcinoma

### Roche – Ventana Discovery ULTRA


Pretreatment for 64 minutes at 100°C (pH 8.4); CM peroxidase blocking for 12 minutes (room temperature), MSVA-350R 1:150 for 20 minutes at 36°C, secondary antibody (anti-rabbit HQ) for 12 minutes at 36°C, anti-HQ HRP for 12 minutes at room temperature, DAB at room temperature, hematoxylin II at room temperature for 8 minutes, bluing reagent at room temperature for 4 minutes.



Ventana – Placenta




Ventana – Kidney



Ventana – Esophagus Adenocarcinoma

# MSVA Large-Scale Studies

It is often not known to researchers and pathologists where certain antibodies should stain and literature data on certain proteins show inconsistent results. In order to get a true picture of the staining behavior of an antibody MSVA supports IHC large-scale studies on thousands of different tumor samples.



Arginase-1 antibody clone MSVA-511R  
**14,912 samples**

MUC5AC antibody clone MSVA-109M  
**10,399 samples**

CDH16 antibody clone MSVA-516R  
**1,115 samples**

p16 antibody clone MSVA-016R  
**15,783 samples**

CPA1 antibody clone MSVA-601M  
**12,274 samples**

PD-L1 antibody clone MSVA-711R  
**14,000 samples**

CTLA-4 antibody clone MSVA-152R  
**4,582 samples**

PLAP antibody clone MSVA-350R  
**12,381 samples**

Cytokeratin 5 MSVA-605M &  
Cytokeratin 6 MSVA-606R  
**15,000 samples**

TACSTD2 / Trop-2 antibody clone MSVA-733  
**18,563 samples**

Cytokeratin 7 antibody clone MSVA-607R &  
Cytokeratin 20 antibody clone MSVA-620R  
**15,424 samples**

Thyroglobulin antibody clone MSVA-189R  
**9,974 samples**

Desmoglein 3 antibody clone MSVA-543M  
**15,869 samples**

Uroplakin 1A MSVA-735M  
**6,929 samples**

DOG1 antibody clone MSVA-201M  
**15,000 samples**

Uroplakin 1B antibody clone MSVA-734M  
**14,061 samples**

Mesothelin antibody clone MSVA-235M  
**12,679 samples**

Uroplakin 3B clone MSVA-736M  
**16,000 samples**


Villin antibody clone MSVA-459R  
**14,398 samples**

# Multiplex fluorescence immunohistochemistry (mFIHC)

**Multiplex fluorescence immunohistochemistry (mFIHC)** is the future of immunohistochemistry. It allows multiple antibodies to be applied to a tissue slide. Currently available devices allow the simultaneous analysis of **4** (Versa 8, Leica), **6** (Vectra Polaris, AKOYA) up to **more than 50** antibodies (CODEX, AKOYA). Sophisticated analysis frameworks use artificial intelligence to identify specific cell types defined by a combination of positive and negative antibody staining and the spatial relationship between those cell types.

Due to the high number of different “colors” on each stained slide and the impaired differentiation of morphological cell types in fluorescence imaging, visual quality control of individual antibodies becomes impossible. Non-specific or cross-reactive antibody staining of one or more antibodies used in a multicolor panel can seriously distort the data and conclusions from the experiments.

Hence the quality of the composite of antibodies  
used in a mFIHC panel is crucial.



Here a mFIHC panel with 18 antibodies used simultaneously. Image courtesy of Dr. Niclas C. Blessin.

Also available BSA &  
Azide free

# Antibody Index

A	
ACE2	
AIF1	
Androgen Receptor	
Arginase-1	
B	
BRG1 / SMARCA4	
C	
Calbindin 1	
Caldesmon	
Calponin	
CD1a	
CD3e	
CD4	
CD5	
CD7	
CD8	
CD20	
CD22	
CD23	
CD27	
CD31	
CD34	
CD44	
CD45	
CD45RA	
CD141	
CD163	
CDH16	
CDH17	
CEA	
CELA3B	
Chromogranin A	
Collagen IV	
CPA1 / Carboxypeptidase A1	
CTLA-4 /CD152	
Cystatin A	
Cytokeratin 5	
Cytokeratin 6	
Cytokeratin 7	
Cytokeratin 10	
Cytokeratin 13	
Cytokeratin 14	
Cytokeratin 15	
Cytokeratin 17	
Cytokeratin 18	
Cytokeratin 19	
Cytokeratin 20	
Cytokeratin Pan	
D	
Decorin	
Desmin	
Desmoglein 1	
Desmoglein 3	
DOG-1	
E	
E-Cadherin	
Elastin	
EpCAM / CD326	
Epstein-Barr Virus (EBV)	
Estrogen Receptor	
F	
FABP1	
Factor 13 alpha	
G	
GAD2 / GAD65	
GATA3	
Glutamine Synthetase	
GLUT1	
GP2	
H	
Helicobacter Pylori	
Hepatocyte Specific	
HER2 / CD340	
Histone H3	
HLA-DRA	
HLA-DRb	
I	
IgA / Immunglobulin A	
IgD / Immunglobulin D	
Inhibin alpha	
INSM1	

K
Ki-67
KLK7

M
Mammaglobin
MBP / Myelin Basic Protein
MCM2
MCM3
MCM7
Melan A CR (cross reactive)
Melan A specific
Mesothelin
MPO/ Myeloperoxidase
MSH2
MSH6
MUC1
MUC5AC
MUC6
Myosin Heavy Chain 11

S
S100
S100A12
S100P
SATB2
Somatostatin
SOX9
STAR
STING1
Synaptophysin

T
TACSTD2 / Trop2
TdT
Thyroglobulin
TIM3
TOP2A / TOPO2A
TRIM29
TRPS1
TFF1
TTF-1

N
Napsin A
NSE gamma
Nucleolin

U
Uroplakin 1A
Uroplakin 1B
Uroplakin 3B

O
Occludin

V
Villin
Vimentin
vWf

P
p16
p53
p63
PAPP-A
PAX6
PD-L1
Periostin
PGP9.5
PLAP
PMEL17 / gp100
Progesterone Receptor
Prostein
PSA / Prostate Specific Antigen
PSAP / ACP3 / ACPP
PTH / Parathyroid Hormone

X
XRCC5/Ku-p80

Z
ZAP-70

ACE2		Format	Status	Dilution	Volume	Catalog Number	Price*
Clone	MSVA-919R	conc.	RUO	100-200	0,1 ml	3319-919R-01	295,00 €
Host	Recombinant Rabbit	conc.	RUO	100-200	0,5 ml	3319-919R-05	595,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	3319-919R-1	995,00 €
AIF1		Format	Status	Dilution	Volume	Catalog Number	Price*
Clone	MSVA-955M	conc.	RUO	100-200	0,1 ml	4444-955M-01	295,00 €
Host	Mouse	conc.	RUO	100-200	0,5 ml	4444-955M-05	545,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	4444-955M-1	895,00 €
Androgen Receptor		Format	Status	Dilution	Volume	Catalog Number	Price*
Clone	MSVA-367R	conc.	RUO	100-200	0,1 ml	2145-367R-01	295,00 €
Host	Recombinant Rabbit	conc.	RUO	100-200	0,5 ml	2145-367R-05	595,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	2145-367R-1	995,00 €
Arginase-1		Format	Status	Dilution	Volume	Catalog Number	Price*
Clone	MSVA-511R	conc.	RUO	100-200	0,1 ml	3320-511R-01	295,00 €
Host	Recombinant Rabbit	conc.	RUO	100-200	0,5 ml	3320-511R-05	595,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	3320-511R-1	995,00 €
BRG1 / SMARCA4		Format	Status	Dilution	Volume	Catalog Number	Price*
Clone	MSVA-397R	conc.	RUO	100-200	0,1 ml	5678-397R-01	295,00 €
Host	Recombinant Rabbit	conc.	RUO	100-200	0,5 ml	5678-397R-05	595,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	5678-397R-1	995,00 €
Calbindin 1		Format	Status	Dilution	Volume	Catalog Number	Price*
Clone	MSVA-471M	conc.	RUO	50-100	0,1 ml	3969-471M-01	145,00 €
Host	Mouse	conc.	RUO	50-100	0,5 ml	3969-471M-05	375,00 €
Isotype	IgG	conc.	RUO	50-100	1 ml	3969-471M-1	595,00 €
Caldesmon		Format	Status	Dilution	Volume	Catalog Number	Price*
Clone	MSVA-538R	conc.	RUO	100-200	0,1 ml	3859-538R-01	295,00 €
Host	Recombinant Rabbit	conc.	RUO	100-200	0,5 ml	3859-538R-05	595,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	3859-538R-1	995,00 €
Calponin		Format	Status	Dilution	Volume	Catalog Number	Price*
Clone	MSVA-455R	conc.	RUO	100-200	0,1 ml	2446-455R-01	295,00 €
Host	Recombinant Rabbit	conc.	RUO	100-200	0,5 ml	2446-455R-05	545,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	2446-455R-1	895,00 €
CD1a		Format	Status	Dilution	Volume	Catalog Number	Price*
Clone	MSVA-001M	conc.	RUO	100-200	0,1 ml	2682-001M-01	295,00 €
Host	Recombinant Mouse	conc.	RUO	100-200	0,5 ml	2682-001M-05	595,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	2682-001M-1	995,00 €

\*Price not including VAT

CD3e		Format	Status	Dilution	Volume	Catalog Number	Price*
Clone	MSVA-003R	conc.	RUO	100-200	0,1 ml	2465-003R-01	295,00 €
Host	Recombinant Rabbit	conc.	RUO	100-200	0,5 ml	2465-003R-05	595,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	2465-003R-1	995,00 €
CD4		Format	Status	Dilution	Volume	Catalog Number	Price*
Clone	MSVA-004R	conc.	RUO	100-200	0,1 ml	2278-004R-01	295,00 €
Host	Recombinant Rabbit	conc.	RUO	100-200	0,5 ml	2278-004R-05	595,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	2278-004R-1	995,00 €
CD5		Format	Status	Dilution	Volume	Catalog Number	Price*
Clone	MSVA-005R	conc.	RUO	100-200	0,1 ml	3323-005R-01	295,00 €
Host	Recombinant Rabbit	conc.	RUO	100-200	0,5 ml	3323-005R-05	595,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	3323-005R-1	995,00 €
CD7		Format	Status	Dilution	Volume	Catalog Number	Price*
Clone	MSVA-007R	conc.	RUO	100-200	0,1 ml	2471-007R-01	295,00 €
Host	Recombinant Rabbit	conc.	RUO	100-200	0,5 ml	2471-007R-05	595,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	2471-007R-1	995,00 €
CD8		Format	Status	Dilution	Volume	Catalog Number	Price*
Clone	MSVA-008R	conc.	RUO	100-200	0,1 ml	2474-008R-01	295,00 €
Host	Recombinant Rabbit	conc.	RUO	100-200	0,5 ml	2474-008R-05	595,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	2474-008R-1	995,00 €
CD20		Format	Status	Dilution	Volume	Catalog Number	Price*
Clone	MSVA-020R	conc.	RUO	100-200	0,1 ml	2483-020R-01	145,00 €
Host	Recombinant Rabbit	conc.	RUO	100-200	0,5 ml	2483-020R-05	445,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	2483-020R-1	695,00 €
CD22		Format	Status	Dilution	Volume	Catalog Number	Price*
Clone	MSVA-022R	conc.	RUO	100-200	0,1 ml	2492-022R-01	295,00 €
Host	Recombinant Rabbit	conc.	RUO	100-200	0,5 ml	2492-022R-05	545,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	2492-022R-1	895,00 €
CD23		Format	Status	Dilution	Volume	Catalog Number	Price*
Clone	MSVA-023M	conc.	RUO	100-200	0,1 ml	4594-023M-01	295,00 €
Host	Mouse	conc.	RUO	100-200	0,5 ml	4594-023M-05	595,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	4594-023M-1	995,00 €
CD27		Format	Status	Dilution	Volume	Catalog Number	Price*
Clone	MSVA-027M	conc.	RUO	100-200	0,1 ml	2503-027M-01	295,00 €
Host	Mouse	conc.	RUO	100-200	0,5 ml	2503-027M-05	595,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	2503-027M-1	995,00 €

\*Price not including VAT

CD31		Format	Status	Dilution	Volume	Catalog Number	Price*
Clone	MSVA-031M	conc.	RUO	100-200	0,1 ml	2517-031M-01	145,00 €
Host	Mouse	conc.	RUO	100-200	0,5 ml	2517-031M-05	375,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	2517-031M-1	595,00 €

CD34		Format	Status	Dilution	Volume	Catalog Number	Price*
Clone	MSVA-034R	conc.	RUO	100-200	0,1 ml	2431-034R-01	295,00 €
Host	Recombinant Rabbit	conc.	RUO	100-200	0,5 ml	2431-034R-05	545,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	2431-034R-1	895,00 €

CD44		Format	Status	Dilution	Volume	Catalog Number	Price*
Clone	MSVA-044R	conc.	RUO	100-200	0,1 ml	2675-044R-01	295,00 €
Host	Recombinant Rabbit	conc.	RUO	100-200	0,5 ml	2675-044R-05	595,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	2675-044R-1	995,00 €

CD45		Format	Status	Dilution	Volume	Catalog Number	Price*
Clone	MSVA-045R	conc.	RUO	100-200	0,1 ml	3333-045R-01	145,00 €
Host	Recombinant Rabbit	conc.	RUO	100-200	0,5 ml	3333-045R-05	375,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	3333-045R-1	595,00 €

CD45RA		Format	Status	Dilution	Volume	Catalog Number	Price*
Clone	MSVA-472M	conc.	RUO	100-200	0,1 ml	2193-472M-01	145,00 €
Host	Mouse	conc.	RUO	100-200	0,5 ml	2193-472M-05	375,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	2193-472M-1	595,00 €

CD141		Format	Status	Dilution	Volume	Catalog Number	Price*
Clone	MSVA-141M	conc.	RUO	100-200	0,1 ml	4706-141M-01	295,00 €
Host	Recombinant Mouse	conc.	RUO	100-200	0,5 ml	4706-141M-05	595,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	4706-141M-1	995,00 €

CD163		Format	Status	Dilution	Volume	Catalog Number	Price*
Clone	MSVA-163M	conc.	RUO	100-200	0,1 ml	2335-163M-01	295,00 €
Host	Mouse	conc.	RUO	100-200	0,5 ml	2335-163M-05	595,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	2335-163M-1	995,00 €

CDH16		Format	Status	Dilution	Volume	Catalog Number	Price*
Clone	MSVA-516R	conc.	RUO	100-200	0,1 ml	4036-516R-01	395,00 €
Host	Recombinant Rabbit	conc.	RUO	100-200	0,5 ml	4036-516R-05	795,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	4036-516R-1	1.495,00 €

CDH17		Format	Status	Dilution	Volume	Catalog Number	Price*
Clone	MSVA-517M	conc.	RUO	100-200	0,1 ml	3687-517M-01	295,00 €
Host	Mouse	conc.	RUO	100-200	0,5 ml	3687-517M-05	545,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	3687-517M-1	895,00 €

\*Price not including VAT

CEA		Format	Status	Dilution	Volume	Catalog Number	Price*
Clone	MSVA-465R	conc.	RUO	100-200	0,1 ml	2563-465R-01	145,00 €
Host	Recombinant Rabbit	conc.	RUO	100-200	0,5 ml	2563-465R-05	375,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	2563-465R-1	595,00 €
CELA3B		Format	Status	Dilution	Volume	Catalog Number	Price*
Clone	MSVA-410M	conc.	RUO	100-200	0,1 ml	3682-410M-01	295,00 €
Host	Recombinant Mouse	conc.	RUO	100-200	0,5 ml	3682-410M-05	595,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	3682-410M-1	995,00 €
Chromogranin A		Format	Status	Dilution	Volume	Catalog Number	Price*
Clone	MSVA-380R	conc.	RUO	100-200	0,1 ml	2175-380R-01	295,00 €
Host	Recombinant Rabbit	conc.	RUO	100-200	0,5 ml	2175-380R-05	595,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	2175-380R-1	995,00 €
Collagen IV		Format	Status	Dilution	Volume	Catalog Number	Price*
Clone	MSVA-704R	conc.	RUO	100-200	0,1 ml	3365-704R-01	295,00 €
Host	Recombinant Rabbit	conc.	RUO	100-200	0,5 ml	3365-704R-05	545,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	3365-704R-1	895,00 €
CPA1 / Carboxypeptidase A1		Format	Status	Dilution	Volume	Catalog Number	Price*
Clone	MSVA-601M	conc.	RUO	100-200	0,1 ml	3354-601M-01	395,00 €
Host	Mouse	conc.	RUO	100-200	0,5 ml	3354-601M-05	795,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	3354-601M-1	1.495,00 €
CTLA-4 / CD152		Format	Status	Dilution	Volume	Catalog Number	Price*
Clone	MSVA-152R	conc.	RUO	50-100	0,1 ml	3451-152R-01	445,00 €
Host	Recombinant Rabbit	conc.	RUO	50-100	0,5 ml	3451-152R-05	1.675,00 €
Isotype	IgG	conc.	RUO	50-100	1 ml	3451-152R-1	2.995,00 €
Cystatin A		Format	Status	Dilution	Volume	Catalog Number	Price*
Clone	MSVA-461M	conc.	RUO	100-200	0,1 ml	3938-461M-01	195,00 €
Host	Mouse	conc.	RUO	100-200	0,5 ml	3938-461M-05	445,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	3938-461M-1	695,00 €
Cytokeratin 5		Format	Status	Dilution	Volume	Catalog Number	Price*
Clone	MSVA-605M	conc.	RUO	100-200	0,1 ml	2608-605M-01	195,00 €
Host	Recombinant Mouse	conc.	RUO	100-200	0,5 ml	2608-605M-05	445,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	2608-605M-1	695,00 €
Cytokeratin 6		Format	Status	Dilution	Volume	Catalog Number	Price*
Clone	MSVA-606R	conc.	RUO	100-200	0,1 ml	2616-606R-01	195,00 €
Host	Recombinant Rabbit	conc.	RUO	100-200	0,5 ml	2616-606R-05	445,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	2616-606R-1	695,00 €

\*Price not including VAT

<b>Cytokeratin 7</b>		<b>Format</b>	<b>Status</b>	<b>Dilution</b>	<b>Volume</b>	<b>Catalog Number</b>	<b>Price*</b>
Clone	<b>MSVA-607R</b>	conc.	RUO	100-200	0,1 ml	2230-607R-01	195,00 €
Host	Recombinant Rabbit	conc.	RUO	100-200	0,5 ml	2230-607R-05	445,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	2230-607R-1	695,00 €
<b>Cytokeratin 10</b>		<b>Format</b>	<b>Status</b>	<b>Dilution</b>	<b>Volume</b>	<b>Catalog Number</b>	<b>Price*</b>
Clone	<b>MSVA-610M</b>	conc.	RUO	100-200	0,1 ml	2593-610M-01	195,00 €
Host	Recombinant Mouse	conc.	RUO	100-200	0,5 ml	2593-610M-05	445,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	2593-610M-1	695,00 €
<b>Cytokeratin 13</b>		<b>Format</b>	<b>Status</b>	<b>Dilution</b>	<b>Volume</b>	<b>Catalog Number</b>	<b>Price*</b>
Clone	<b>MSVA-613M</b>	conc.	RUO	100-200	0,1 ml	2373-613M-01	195,00 €
Host	Mouse	conc.	RUO	100-200	0,5 ml	2373-613M-05	445,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	2373-613M-1	695,00 €
<b>Cytokeratin 14</b>		<b>Format</b>	<b>Status</b>	<b>Dilution</b>	<b>Volume</b>	<b>Catalog Number</b>	<b>Price*</b>
Clone	<b>MSVA-614R</b>	conc.	RUO	100-200	0,1 ml	2256-614R-01	195,00 €
Host	Recombinant Rabbit	conc.	RUO	100-200	0,5 ml	2256-614R-05	445,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	2256-614R-1	695,00 €
<b>Cytokeratin 15</b>		<b>Format</b>	<b>Status</b>	<b>Dilution</b>	<b>Volume</b>	<b>Catalog Number</b>	<b>Price*</b>
Clone	<b>MSVA-615M</b>	conc.	RUO	50-100	0,1 ml	2748-615M-01	195,00 €
Host	Mouse	conc.	RUO	50-100	0,5 ml	2748-615M-05	445,00 €
Isotype	IgG	conc.	RUO	50-100	1 ml	2748-615M-1	695,00 €
<b>Cytokeratin 17</b>		<b>Format</b>	<b>Status</b>	<b>Dilution</b>	<b>Volume</b>	<b>Catalog Number</b>	<b>Price*</b>
Clone	<b>MSVA-517M</b>	conc.	RUO	100-200	0,1 ml	3687-517M-01	295,00 €
Host	Mouse	conc.	RUO	100-200	0,5 ml	3687-517M-05	595,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	3687-517M-1	995,00 €
<b>Cytokeratin 18</b>		<b>Format</b>	<b>Status</b>	<b>Dilution</b>	<b>Volume</b>	<b>Catalog Number</b>	<b>Price*</b>
Clone	<b>MSVA-118R</b>	conc.	RUO	100-200	0,1 ml	2205-118R-01	195,00 €
Host	Recombinant Rabbit	conc.	RUO	100-200	0,5 ml	2205-118R-05	445,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	2205-118R-1	695,00 €
<b>Cytokeratin 19</b>		<b>Format</b>	<b>Status</b>	<b>Dilution</b>	<b>Volume</b>	<b>Catalog Number</b>	<b>Price*</b>
Clone	<b>MSVA-119M</b>	conc.	RUO	100-200	0,1 ml	2273-119M-01	195,00 €
Host	Mouse	conc.	RUO	100-200	0,5 ml	2273-119M-05	445,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	2273-119M-1	695,00 €
<b>Cytokeratin 20</b>		<b>Format</b>	<b>Status</b>	<b>Dilution</b>	<b>Volume</b>	<b>Catalog Number</b>	<b>Price*</b>
Clone	<b>MSVA-620R</b>	conc.	RUO	100-200	0,1 ml	2238-620R-01	295,00 €
Host	Recombinant Rabbit	conc.	RUO	100-200	0,5 ml	2238-620R-05	595,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	2238-620R-1	995,00 €

\*Price not including VAT

<b>Cytokeratin Pan</b>		<b>Format</b>	<b>Status</b>	<b>Dilution</b>	<b>Volume</b>	<b>Catalog Number</b>	<b>Price*</b>
Clone	<b>MSVA-000R</b>	conc.	RUO	100-200	0,1 ml	2105-000R-01	295,00 €
Host	Recombinant Rabbit	conc.	RUO	100-200	0,5 ml	2105-000R-05	545,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	2105-000R-1	895,00 €
<b>Decorin</b>		<b>Format</b>	<b>Status</b>	<b>Dilution</b>	<b>Volume</b>	<b>Catalog Number</b>	<b>Price*</b>
Clone	<b>MSVA-537R</b>	conc.	RUO	100-200	0,1 ml	4408-537R-01	295,00 €
Host	Recombinant Rabbit	conc.	RUO	100-200	0,5 ml	4408-537R-05	595,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	4408-537R-1	995,00 €
<b>Desmin</b>		<b>Format</b>	<b>Status</b>	<b>Dilution</b>	<b>Volume</b>	<b>Catalog Number</b>	<b>Price*</b>
Clone	<b>MSVA-651M</b>	conc.	RUO	100-200	0,1 ml	2732-651M-01	195,00 €
Host	Recombinant Mouse	conc.	RUO	100-200	0,5 ml	2732-651M-05	445,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	2732-651M-1	695,00 €
<b>Desmoglein 1</b>		<b>Format</b>	<b>Status</b>	<b>Dilution</b>	<b>Volume</b>	<b>Catalog Number</b>	<b>Price*</b>
Clone	<b>MSVA-544M</b>	conc.	RUO	75-150	0,1 ml	4420-544M-01	295,00 €
Host	Mouse	conc.	RUO	75-150	0,5 ml	4420-544M-05	545,00 €
Isotype	IgG	conc.	RUO	75-150	1 ml	4420-544M-1	895,00 €
<b>Desmoglein 3</b>		<b>Format</b>	<b>Status</b>	<b>Dilution</b>	<b>Volume</b>	<b>Catalog Number</b>	<b>Price*</b>
Clone	<b>MSVA-543M</b>	conc.	RUO	75-150	0,1 ml	4355-543M-01	295,00 €
Host	Mouse	conc.	RUO	75-150	0,5 ml	4355-543M-05	545,00 €
Isotype	IgG	conc.	RUO	75-150	1 ml	4355-543M-1	895,00 €
<b>DOG-1</b>		<b>Format</b>	<b>Status</b>	<b>Dilution</b>	<b>Volume</b>	<b>Catalog Number</b>	<b>Price*</b>
Clone	<b>MSVA-201M</b>	conc.	RUO	100-200	0,1 ml	2170-201M-01	345,00 €
Host	Mouse	conc.	RUO	100-200	0,5 ml	2170-201M-05	675,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	2170-201M-1	1.195,00 €
<b>E-cadherin</b>		<b>Format</b>	<b>Status</b>	<b>Dilution</b>	<b>Volume</b>	<b>Catalog Number</b>	<b>Price*</b>
Clone	<b>MSVA-035R</b>	conc.	RUO	100-200	0,1 ml	2140-035R-01	295,00 €
Host	Recombinant Rabbit	conc.	RUO	100-200	0,5 ml	2140-035R-01	595,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	2140-035R-01	995,00 €
<b>Elastin</b>		<b>Format</b>	<b>Status</b>	<b>Dilution</b>	<b>Volume</b>	<b>Catalog Number</b>	<b>Price*</b>
Clone	<b>MSVA-648R</b>	conc.	RUO	100-200	0,1 ml	4448-648R-01	145,00 €
Host	Recombinant Rabbit	conc.	RUO	100-200	0,5 ml	4448-648R-05	375,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	4448-648R-1	595,00 €
<b>EpCAM / CD326</b>		<b>Format</b>	<b>Status</b>	<b>Dilution</b>	<b>Volume</b>	<b>Catalog Number</b>	<b>Price*</b>
Clone	<b>MSVA-326R</b>	conc.	RUO	100-200	0,1 ml	2315-326R-01	195,00 €
Host	Recombinant Rabbit	conc.	RUO	100-200	0,5 ml	2315-326R-05	445,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	2315-326R-1	695,00 €

\*Price not including VAT

<b>Epstein-Barr Virus (EBV)</b>		<b>Format</b>	<b>Status</b>	<b>Dilution</b>	<b>Volume</b>	<b>Catalog Number</b>	<b>Price*</b>
Clone	<b>MSVA-539M</b>	conc.	RUO	100-200	0,1 ml	5407-539R-01	295,00 €
Host	Mouse	conc.	RUO	100-200	0,5 ml	5407-539R-05	595,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	5407-539R-1	995,00 €
<b>Estrogen Receptor</b>		<b>Format</b>	<b>Status</b>	<b>Dilution</b>	<b>Volume</b>	<b>Catalog Number</b>	<b>Price*</b>
Clone	<b>MSVA-564R</b>	conc.	RUO	100-200	0,1 ml	4670-564R-01	295,00 €
Host	Recombinant Rabbit	conc.	RUO	100-200	0,5 ml	4670-564R-05	695,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	4670-564R-1	1.245,00 €
<b>FABP1</b>		<b>Format</b>	<b>Status</b>	<b>Dilution</b>	<b>Volume</b>	<b>Catalog Number</b>	<b>Price*</b>
Clone	<b>MSVA-501M</b>	conc.	RUO	100-200	0,1 ml	3737-501M-01	295,00 €
Host	Mouse	conc.	RUO	100-200	0,5 ml	3737-501M-01	595,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	3737-501M-01	995,00 €
<b>Factor 13 alpha</b>		<b>Format</b>	<b>Status</b>	<b>Dilution</b>	<b>Volume</b>	<b>Catalog Number</b>	<b>Price*</b>
Clone	<b>MSVA-813R</b>	conc.	RUO	100-200	0,1 ml	3924-813R-01	295,00 €
Host	Recombinant Rabbit	conc.	RUO	100-200	0,5 ml	3924-813R-05	595,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	3924-813R-1	995,00 €
<b>GAD2 / GAD65</b>		<b>Format</b>	<b>Status</b>	<b>Dilution</b>	<b>Volume</b>	<b>Catalog Number</b>	<b>Price*</b>
Clone	<b>MSVA-602M</b>	conc.	RUO	100-200	0,1 ml	4975-602M-01	295,00€
Host	Mouse	conc.	RUO	100-200	0,5 ml	4975-602M-05	595,00€
Isotype	IgG	conc.	RUO	100-200	1 ml	4975-602M-1	995,00€
<b>GATA3</b>		<b>Format</b>	<b>Status</b>	<b>Dilution</b>	<b>Volume</b>	<b>Catalog Number</b>	<b>Price*</b>
Clone	<b>MSVA-450M</b>	conc.	RUO	50-100	0,1 ml	2980-450M-01	395,00 €
Host	Mouse	conc.	RUO	50-100	0,5 ml	2980-450M-05	895,00 €
Isotype	IgG	conc.	RUO	50-100	1 ml	2980-450M-1	1.495,00 €
<b>GLUT1</b>		<b>Format</b>	<b>Status</b>	<b>Dilution</b>	<b>Volume</b>	<b>Catalog Number</b>	<b>Price*</b>
Clone	<b>MSVA-401R</b>	conc.	RUO	100-200	0,1 ml	4457-401R-01	295,00€
Host	Recombinant Rabbit	conc.	RUO	100-200	0,5 ml	4457-401R-05	595,00€
Isotype	IgG	conc.	RUO	100-200	1 ml	4457-401R-1	995,00€
<b>Glutamine Synthetase</b>		<b>Format</b>	<b>Status</b>	<b>Dilution</b>	<b>Volume</b>	<b>Catalog Number</b>	<b>Price*</b>
Clone	<b>MSVA-750M</b>	conc.	RUO	100-200	0,1 ml	4565-750M-01	295,00€
Host	Mouse	conc.	RUO	100-200	0,5 ml	4565-750M-05	545,00€
Isotype	IgG	conc.	RUO	100-200	1 ml	4565-750M-1	895,00€
<b>GP2</b>		<b>Format</b>	<b>Status</b>	<b>Dilution</b>	<b>Volume</b>	<b>Catalog Number</b>	<b>Price*</b>
Clone	<b>MSVA-475M</b>	conc.	RUO	100-200	0,1 ml	3409-475M-01	295,00€
Host	Mouse	conc.	RUO	100-200	0,5 ml	3409-475M-05	595,00€
Isotype	IgG	conc.	RUO	100-200	1 ml	3409-475M-1	995,00€

\*Price not including VAT

<b>Helicobacter Pylori</b>		<b>Format</b>	<b>Status</b>	<b>Dilution</b>	<b>Volume</b>	<b>Catalog Number</b>	<b>Price*</b>
Clone	<b>MSVA-466M</b>	conc.	RUO	100-200	0,1 ml	5099-466M-01	345,00€
Host	Mouse	conc.	RUO	100-200	0,5 ml	5099-466M-05	695,00€
Isotype	IgG	conc.	RUO	100-200	1 ml	5099-466M-1	1.095,00€
<b>Hepatocyte Specific</b>		<b>Format</b>	<b>Status</b>	<b>Dilution</b>	<b>Volume</b>	<b>Catalog Number</b>	<b>Price*</b>
Clone	<b>MSVA-OCE5</b>	conc.	RUO	100-200	0,1 ml	5091-OCE5-01	145,00€
Host	Mouse	conc.	RUO	100-200	0,5 ml	5091-OCE5-05	375,00€
Isotype	IgG	conc.	RUO	100-200	1 ml	5091-OCE5-1	595,00€
<b>HER2 / CD340</b>		<b>Format</b>	<b>Status</b>	<b>Dilution</b>	<b>Volume</b>	<b>Catalog Number</b>	<b>Price*</b>
Clone	<b>MSVA-340R</b>	conc.	RUO	25-50	0,1 ml	3325-340R-01	345,00 €
Host	Recombinant Rabbit	conc.	RUO	25-50	0,5 ml	3325-340R-05	675,00 €
Isotype	IgG	conc.	RUO	25-50	1 ml	3325-340R-1	1.195,00 €
<b>Histone H3</b>		<b>Format</b>	<b>Status</b>	<b>Dilution</b>	<b>Volume</b>	<b>Catalog Number</b>	<b>Price*</b>
Clone	<b>MSVA-903M</b>	conc.	RUO	100-200	0,1 ml	3122-903M-01	295,00 €
Host	Mouse	conc.	RUO	100-200	0,5 ml	3122-903M-05	595,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	3122-903M-1	995,00 €
<b>HLA-DRa</b>		<b>Format</b>	<b>Status</b>	<b>Dilution</b>	<b>Volume</b>	<b>Catalog Number</b>	<b>Price*</b>
Clone	<b>MSVA-470R</b>	conc.	RUO	100-200	0,1 ml	3328-470R-01	295,00 €
Host	Recombinant Rabbit	conc.	RUO	100-200	0,5 ml	3328-470R-05	595,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	3328-470R-1	995,00 €
<b>HLA-DRb</b>		<b>Format</b>	<b>Status</b>	<b>Dilution</b>	<b>Volume</b>	<b>Catalog Number</b>	<b>Price*</b>
Clone	<b>MSVA-478R</b>	conc.	RUO	100-200	0,1 ml	4232-478R-01	295,00 €
Host	Recombinant Rabbit	conc.	RUO	100-200	0,5 ml	4232-478R-05	595,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	4232-478R-1	995,00 €
<b>IgA / Immunglobulin A</b>		<b>Format</b>	<b>Status</b>	<b>Dilution</b>	<b>Volume</b>	<b>Catalog Number</b>	<b>Price*</b>
Clone	<b>MSVA-700R</b>	conc.	RUO	100-200	0,1 ml	3489-700R-01	295,00€
Host	Recombinant Rabbit	conc.	RUO	100-200	0,5 ml	3489-700R-05	595,00€
Isotype	IgG	conc.	RUO	100-200	1 ml	3489-700R-1	995,00€
<b>IgD / Immunglobulin D</b>		<b>Format</b>	<b>Status</b>	<b>Dilution</b>	<b>Volume</b>	<b>Catalog Number</b>	<b>Price*</b>
Clone	<b>MSVA-701R</b>	conc.	RUO	100-200	0,1 ml	3485-701R-01	295,00€
Host	Recombinant Rabbit	conc.	RUO	100-200	0,5 ml	3485-701R-05	595,00€
Isotype	IgG	conc.	RUO	100-200	1 ml	3485-701R-1	995,00€
<b>Inhibin alpha</b>		<b>Format</b>	<b>Status</b>	<b>Dilution</b>	<b>Volume</b>	<b>Catalog Number</b>	<b>Price*</b>
Clone	<b>MSVA-561R</b>	conc.	RUO	75-150	0,1 ml	2879-561R-01	295,00€
Host	Recombinant Rabbit	conc.	RUO	75-150	0,5 ml	2879-561R-05	545,00 €
Isotype	IgG	conc.	RUO	75-150	1 ml	2879-561R-1	895,00 €

\*Price not including VAT

<b>INSM1</b>		<b>Format</b>	<b>Status</b>	<b>Dilution</b>	<b>Volume</b>	<b>Catalog Number</b>	<b>Price*</b>
Clone	<b>MSVA-456R</b>	conc.	RUO	75-150	0,1 ml	3218-456R-01	295,00 €
Host	Recombinant Rabbit	conc.	RUO	75-150	0,5 ml	3218-456R-05	595,00 €
Isotype	IgG	conc.	RUO	75-150	1 ml	3218-456R-1	995,00 €

<b>Ki-67</b>		<b>Format</b>	<b>Status</b>	<b>Dilution</b>	<b>Volume</b>	<b>Catalog Number</b>	<b>Price*</b>
Clone	<b>MSVA-267M</b>	conc.	RUO	100-200	0,1 ml	2082-267M-01	295,00 €
Host	Mouse	conc.	RUO	100-200	0,5 ml	2082-267M-05	595,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	2082-267M-1	995,00 €

<b>KLK7</b>		<b>Format</b>	<b>Status</b>	<b>Dilution</b>	<b>Volume</b>	<b>Catalog Number</b>	<b>Price*</b>
Clone	<b>MSVA-707M</b>	conc.	RUO	100-200	0,1 ml	4860-707M-01	295,00€
Host	Mouse	conc.	RUO	100-200	0,5 ml	4860-707M-05	595,00€
Isotype	IgG	conc.	RUO	100-200	1 ml	4860-707M-1	995,00€

<b>Mammaglobin</b>		<b>Format</b>	<b>Status</b>	<b>Dilution</b>	<b>Volume</b>	<b>Catalog Number</b>	<b>Price*</b>
Clone	<b>MSVA-457R</b>	conc.	RUO	100-200	0,1 ml	2668-457R-01	295,00 €
Host	Recombinant Rabbit	conc.	RUO	100-200	0,5 ml	2668-457R-05	545,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	2668-457R-1	895,00 €

<b>MBP / Myelin Basic Protein</b>		<b>Format</b>	<b>Status</b>	<b>Dilution</b>	<b>Volume</b>	<b>Catalog Number</b>	<b>Price*</b>
Clone	<b>MSVA-390R</b>	conc.	RUO	100-200	0,1 ml	3398-390R-01	195,00 €
Host	Recombinant Rabbit	conc.	RUO	100-200	0,5 ml	3398-390R-05	445,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	3398-390R-1	695,00 €

<b>MCM2</b>		<b>Format</b>	<b>Status</b>	<b>Dilution</b>	<b>Volume</b>	<b>Catalog Number</b>	<b>Price*</b>
Clone	<b>MSVA-502R</b>	conc.	RUO	100-200	0,1 ml	5880-502R-01	295,00€
Host	Recombinant Rabbit	conc.	RUO	100-200	0,5 ml	5880-502R-05	595,00€
Isotype	IgG	conc.	RUO	100-200	1 ml	5880-502R-1	995,00€

<b>MCM3</b>		<b>Format</b>	<b>Status</b>	<b>Dilution</b>	<b>Volume</b>	<b>Catalog Number</b>	<b>Price*</b>
Clone	<b>MSVA-503M</b>	conc.	RUO	100-200	0,1 ml	3257-503M-01	195,00€
Host	Mouse	conc.	RUO	100-200	0,5 ml	3257-503M-05	495,00€
Isotype	IgG	conc.	RUO	100-200	1 ml	3257-503M-1	745,00€

<b>MCM7</b>		<b>Format</b>	<b>Status</b>	<b>Dilution</b>	<b>Volume</b>	<b>Catalog Number</b>	<b>Price*</b>
Clone	<b>MSVA-507R</b>	conc.	RUO	100-200	0,1 ml	3675-507R-01	295,00€
Host	Recombinant Rabbit	conc.	RUO	100-200	0,5 ml	3675-507R-05	545,00€
Isotype	IgG	conc.	RUO	100-200	1 ml	3675-507R-1	895,00€

<b>Melan A CR (Cross Reactive)</b>		<b>Format</b>	<b>Status</b>	<b>Dilution</b>	<b>Volume</b>	<b>Catalog Number</b>	<b>Price*</b>
Clone	<b>MSVA-901M+</b>	conc.	RUO	100-200	0,1 ml	2359-901M-01	195,00 €
Host	Recombinant Mouse	conc.	RUO	100-200	0,5 ml	2359-901M-05	445,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	2359-901M-1	695,00 €

\*Price not including VAT

<b>Melan A Specific</b>		<b>Format</b>	<b>Status</b>	<b>Dilution</b>	<b>Volume</b>	<b>Catalog Number</b>	<b>Price*</b>
Clone	<b>MSVA-900M</b>	conc.	RUO	100-200	0,1 ml	2352-900M-01	195,00 €
Host	Recombinant Mouse	conc.	RUO	100-200	0,5 ml	2352-900M-05	445,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	2352-900M-1	695,00 €
<b>Mesothelin</b>		<b>Format</b>	<b>Status</b>	<b>Dilution</b>	<b>Volume</b>	<b>Catalog Number</b>	<b>Price*</b>
Clone	<b>MSVA-235M</b>	conc.	RUO	100-200	0,1 ml	2198-235M-01	245,00 €
Host	Mouse	conc.	RUO	100-200	0,5 ml	2198-235M-05	545,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	2198-235M-1	895,00 €
<b>MPO/ Myeloperoxidase</b>		<b>Format</b>	<b>Status</b>	<b>Dilution</b>	<b>Volume</b>	<b>Catalog Number</b>	<b>Price*</b>
Clone	<b>MSVA-692M</b>	conc.	RUO	100-200	0,1 ml	4517-692M-01	295,00 €
Host	Mouse	conc.	RUO	100-200	0,5 ml	4517-692M-05	545,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	4517-692M-1	895,00 €
<b>MSH2</b>		<b>Format</b>	<b>Status</b>	<b>Dilution</b>	<b>Volume</b>	<b>Catalog Number</b>	<b>Price*</b>
Clone	<b>MSVA-902M</b>	conc.	RUO	100-200	0,1 ml	2697-902M-01	295,00 €
Host	Recombinant Mouse	conc.	RUO	100-200	0,5 ml	2697-902M-05	595,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	2697-902M-1	995,00 €
<b>MSH6</b>		<b>Format</b>	<b>Status</b>	<b>Dilution</b>	<b>Volume</b>	<b>Catalog Number</b>	<b>Price*</b>
Clone	<b>MSVA-906R</b>	conc.	RUO	75-150	0,1 ml	2889-906R-01	295,00 €
Host	Recombinant Rabbit	conc.	RUO	75-150	0,5 ml	2889-906R-05	595,00 €
Isotype	IgG	conc.	RUO	75-150	1 ml	2889-906R-1	995,00 €
<b>MUC1</b>		<b>Format</b>	<b>Status</b>	<b>Dilution</b>	<b>Volume</b>	<b>Catalog Number</b>	<b>Price*</b>
Clone	<b>MSVA-672R</b>	conc.	RUO	75-150	0,1 ml	2551-672R-01	195,00 €
Host	Recombinant Rabbit	conc.	RUO	75-150	0,5 ml	2551-672R-05	445,00 €
Isotype	IgG	conc.	RUO	75-150	1 ml	2551-672R-1	695,00 €
<b>MUC5AC</b>		<b>Format</b>	<b>Status</b>	<b>Dilution</b>	<b>Volume</b>	<b>Catalog Number</b>	<b>Price*</b>
Clone	<b>MSVA-109M</b>	conc.	RUO	100-200	0,1 ml	2113-109M-01	195,00 €
Host	Recombinant Mouse	conc.	RUO	100-200	0,5 ml	2113-109M-05	445,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	2113-109M-1	695,00 €
<b>MUC6</b>		<b>Format</b>	<b>Status</b>	<b>Dilution</b>	<b>Volume</b>	<b>Catalog Number</b>	<b>Price*</b>
Clone	<b>MSVA-806R</b>	conc.	RUO	100-200	0,1 ml	2709-806R-91	195,00 €
Host	Recombinant Rabbit	conc.	RUO	100-200	0,5 ml	2709-806R-05	445,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	2709-806R-1	695,00 €
<b>Myosin Heavy Chain 11</b>		<b>Format</b>	<b>Status</b>	<b>Dilution</b>	<b>Volume</b>	<b>Catalog Number</b>	<b>Price*</b>
Clone	<b>MSVA-375R</b>	conc.	RUO	100-200	0,1 ml	2450-375R-01	195,00 €
Host	Recombinant Rabbit	conc.	RUO	100-200	0,5 ml	2450-375R-05	445,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	2450-375R-1	695,00 €

\*Price not including VAT

<b>Napsin A</b>		<b>Format</b>	<b>Status</b>	<b>Dilution</b>	<b>Volume</b>	<b>Catalog Number</b>	<b>Price*</b>
Clone	<b>MSVA-555R</b>	conc.	RUO	100-200	0,1 ml	2138-555R-01	295,00 €
Host	Recombinant Rabbit	conc.	RUO	100-200	0,5 ml	2138-555R-05	545,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	2138-555R-1	895,00 €

<b>NSE gamma</b>		<b>Format</b>	<b>Status</b>	<b>Dilution</b>	<b>Volume</b>	<b>Catalog Number</b>	<b>Price*</b>
Clone	<b>MSVA-451M</b>	conc.	RUO	100-200	0,1 ml	2453-451M-01	195,00 €
Host	Mouse	conc.	RUO	100-200	0,5 ml	2453-451M-05	445,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	2453-451M-1	695,00 €

<b>Nucleolin</b>		<b>Format</b>	<b>Status</b>	<b>Dilution</b>	<b>Volume</b>	<b>Catalog Number</b>	<b>Price*</b>
Clone	<b>MSVA-623R</b>	conc.	RUO	100-200	0,1 ml	4108-623R-01	295,00 €
Host	Recombinant Rabbit	conc.	RUO	100-200	0,5 ml	4108-623R-05	595,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	4108-623R-1	995,00 €

<b>Occludin</b>		<b>Format</b>	<b>Status</b>	<b>Dilution</b>	<b>Volume</b>	<b>Catalog Number</b>	<b>Price*</b>
Clone	<b>MSVA-415M</b>	conc.	RUO	100-200	0,1 ml	4373-415M-01	295,00 €
Host	Mouse	conc.	RUO	100-200	0,5 ml	4373-415M-05	595,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	4373-415M-1	995,00 €

<b>p16</b>		<b>Format</b>	<b>Status</b>	<b>Dilution</b>	<b>Volume</b>	<b>Catalog Number</b>	<b>Price*</b>
Clone	<b>MSVA-016R</b>	conc.	RUO	100-200	0,1 ml	3626-016R-01	295,00 €
Host	Recombinant Rabbit	conc.	RUO	100-200	0,5 ml	3626-016R-05	595,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	3626-016R-1	995,00 €

<b>p53</b>		<b>Format</b>	<b>Status</b>	<b>Dilution</b>	<b>Volume</b>	<b>Catalog Number</b>	<b>Price*</b>
Clone	<b>MSVA-053R</b>	conc.	RUO	100-200	0,1 ml	5358-053R-01	295,00 €
Host	Recombinant Rabbit	conc.	RUO	100-200	0,5 ml	5358-053R-05	595,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	5358-053R-1	995,00 €

<b>p63</b>		<b>Format</b>	<b>Status</b>	<b>Dilution</b>	<b>Volume</b>	<b>Catalog Number</b>	<b>Price*</b>
Clone	<b>MSVA-063R</b>	conc.	RUO	100-200	0,1 ml	4235-063R-01	295,00 €
Host	Recombinant Rabbit	conc.	RUO	100-200	0,5 ml	4235-063R-05	595,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	4235-063R-1	995,00 €

<b>PAPP-A</b>		<b>Format</b>	<b>Status</b>	<b>Dilution</b>	<b>Volume</b>	<b>Catalog Number</b>	<b>Price*</b>
Clone	<b>MSVA-780M</b>	conc.	RUO	75-150	0,1 ml	3415-780M-01	395,00 €
Host	Mouse	conc.	RUO	75-150	0,5 ml	3415-780M-05	795,00 €
Isotype	IgG	conc.	RUO	75-150	1 ml	3415-780M-1	1.495,00 €

<b>PAX6</b>		<b>Format</b>	<b>Status</b>	<b>Dilution</b>	<b>Volume</b>	<b>Catalog Number</b>	<b>Price*</b>
Clone	<b>MSVA-706M</b>	conc.	RUO	100-200	0,1 ml	5703-706M-01	295,00 €
Host	Mouse	conc.	RUO	100-200	0,5 ml	5703-706M-05	595,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	5703-706M-1	995,00 €

\*Price not including VAT

PD-L1		Format	Status	Dilution	Volume	Catalog Number	Price*
Clone	MSVA-711R	conc.	RUO	100-200	0,1 ml	2083-711R-01	295,00 €
Host	Recombinant Rabbit	conc.	RUO	100-200	0,5 ml	2083-711R-05	695,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	2083-711R-1	1.145,00 €

Periostin		Format	Status	Dilution	Volume	Catalog Number	Price*
Clone	MSVA-649M	conc.	RUO	100-200	0,1 ml	4344-649M-01	295,00 €
Host	Mouse	conc.	RUO	100-200	0,5 ml	4344-649M-05	595,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	4344-649M-1	995,00 €

PGP9.5		Format	Status	Dilution	Volume	Catalog Number	Price*
Clone	MSVA-905R	conc.	RUO	100-200	0,1 ml	3424-905R-01	295,00 €
Host	Recombinant Rabbit	conc.	RUO	100-200	0,5 ml	3424-905R-05	595,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	3424-905R-1	995,00 €

PLAP		Format	Status	Dilution	Volume	Catalog Number	Price*
Clone	MSVA-350R	conc.	RUO	100-200	0,1 ml	2794-350R-01	295,00 €
Host	Recombinant Rabbit	conc.	RUO	100-200	0,5 ml	2794-350R-05	595,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	2794-350R-1	995,00 €

PMEL17 / gp100		Format	Status	Dilution	Volume	Catalog Number	Price*
Clone	MSVA-617R	conc.	RUO	100-200	0,1 ml	2347-617R-01	295,00 €
Host	Recombinant Rabbit	conc.	RUO	100-200	0,5 ml	2347-617R-05	545,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	2347-617R-1	895,00 €

Progesterone Receptor		Format	Status	Dilution	Volume	Catalog Number	Price*
Clone	MSVA-570R	conc.	RUO	50-100	0,1 ml	3332-570R-01	295,00 €
Host	Recombinant Rabbit	conc.	RUO	50-100	0,5 ml	3332-570R-05	795,00 €
Isotype	IgG	conc.	RUO	50-100	1 ml	3332-570R-1	1.245,00 €

Prostein		Format	Status	Dilution	Volume	Catalog Number	Price*
Clone	MSVA-460R	conc.	RUO	100-200	0,1 ml	5241-460R-01	295,00 €
Host	Recombinant Rabbit	conc.	RUO	100-200	0,5 ml	5241-460R-05	595,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	5241-460R-1	995,00 €

PSA / Prostate Specific Antigen		Format	Status	Dilution	Volume	Catalog Number	Price*
Clone	MSVA-603R	conc.	RUO	100-200	0,1 ml	5182-603R-01	295,00 €
Host	Recombinant Rabbit	conc.	RUO	100-200	0,5 ml	5182-603R-05	595,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	5182-603R-1	995,00 €

PSAP / ACP3 / ACPP		Format	Status	Dilution	Volume	Catalog Number	Price*
Clone	MSVA-452M	conc.	RUO	100-200	0,1 ml	2521-452M-01	295,00 €
Host	Recombinant Mouse	conc.	RUO	100-200	0,5 ml	2521-452M-05	545,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	2521-452M-1	895,00 €

\*Price not including VAT

<b>PTH / Parathyroid Hormone</b>		<b>Format</b>	<b>Status</b>	<b>Dilution</b>	<b>Volume</b>	<b>Catalog Number</b>	<b>Price*</b>
Clone	<b>MSVA-525R</b>	conc.	RUO	100-200	0,1 ml	2652-525R-01	295,00 €
Host	Recombinant Rabbit	conc.	RUO	100-200	0,5 ml	2652-525R-05	545,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	2652-525R-1	895,00 €

<b>S100A12</b>		<b>Format</b>	<b>Status</b>	<b>Dilution</b>	<b>Volume</b>	<b>Catalog Number</b>	<b>Price*</b>
Clone	<b>MSVA-812M</b>	conc.	RUO	100-200	0,1 ml	3780-812M-01	295,00€
Host	Mouse	conc.	RUO	100-200	0,5 ml	3780-812M-05	595,00€
Isotype	IgG	conc.	RUO	100-200	1 ml	3780-812M-1	995,00€

<b>S100P</b>		<b>Format</b>	<b>Status</b>	<b>Dilution</b>	<b>Volume</b>	<b>Catalog Number</b>	<b>Price*</b>
Clone	<b>MSVA-480R</b>	conc.	RUO	100-200	0,1 ml	2558-480R-01	295,00 €
Host	Recombinant Rabbit	conc.	RUO	100-200	0,5 ml	2558-480R-05	595,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	2558-480R-1	995,00 €

<b>S100</b>		<b>Format</b>	<b>Status</b>	<b>Dilution</b>	<b>Volume</b>	<b>Catalog Number</b>	<b>Price*</b>
Clone	<b>MSVA-490R</b>	conc.	RUO	100-200	0,1 ml	2634-490R-01	165,00 €
Host	Recombinant Rabbit	conc.	RUO	100-200	0,5 ml	2634-490R-05	445,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	2634-490R-1	695,00 €

<b>SATB2</b>		<b>Format</b>	<b>Status</b>	<b>Dilution</b>	<b>Volume</b>	<b>Catalog Number</b>	<b>Price*</b>
Clone	<b>MSVA-702R</b>	conc.	RUO	100-200	0,1 ml	2850-702R-01	295,00 €
Host	Recombinant Rabbit	conc.	RUO	100-200	0,5 ml	2850-702R-05	645,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	2850-702R-1	1.045,00 €

<b>Somatostatin</b>		<b>Format</b>	<b>Status</b>	<b>Dilution</b>	<b>Volume</b>	<b>Catalog Number</b>	<b>Price*</b>
Clone	<b>MSVA-638R</b>	conc.	RUO	100-200	0,1 ml	4669-638R-01	295,00 €
Host	Recombinant Rabbit	conc.	RUO	100-200	0,5 ml	4669-638R-05	595,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	4669-638R-1	995,00 €

<b>SOX9</b>		<b>Format</b>	<b>Status</b>	<b>Dilution</b>	<b>Volume</b>	<b>Catalog Number</b>	<b>Price*</b>
Clone	<b>MSVA-709R</b>	conc.	RUO	100-200	0,1 ml	4272-709R-01	295,00 €
Host	Recombinant Rabbit	conc.	RUO	100-200	0,5 ml	4272-709R-05	595,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	4272-709R-1	995,00 €

<b>STAR</b>		<b>Format</b>	<b>Status</b>	<b>Dilution</b>	<b>Volume</b>	<b>Catalog Number</b>	<b>Price*</b>
Clone	<b>MSVA-740R</b>	conc.	RUO	75-150	0,1 ml	5396-740R-01	295,00 €
Host	Recombinant Rabbit	conc.	RUO	75-150	0,5 ml	5396-740R-05	545,00 €
Isotype	IgG	conc.	RUO	75-150	1 ml	5396-740R-1	895,00 €

<b>STING</b>		<b>Format</b>	<b>Status</b>	<b>Dilution</b>	<b>Volume</b>	<b>Catalog Number</b>	<b>Price*</b>
Clone	<b>MSVA-515M</b>	conc.	RUO	100-200	0,1 ml	5473-515M-01	295,00 €
Host	Mouse	conc.	RUO	100-200	0,5 ml	5473-515M-05	595,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	5473-515M-1	995,00 €

\*Price not including VAT

<b>Synaptophysin</b>		<b>Format</b>	<b>Status</b>	<b>Dilution</b>	<b>Volume</b>	<b>Catalog Number</b>	<b>Price*</b>
Clone	<b>MSVA-462R</b>	conc.	RUO	100-200	0,1 ml	2188-462R-01	295,00 €
Host	Recombinant Rabbit	conc.	RUO	100-200	0,5 ml	2188-462R-05	545,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	2188-462R-1	895,00 €

<b>TACSTD2 / Trop2</b>		<b>Format</b>	<b>Status</b>	<b>Dilution</b>	<b>Volume</b>	<b>Catalog Number</b>	<b>Price*</b>
Clone	<b>MSVA-733R</b>	conc.	RUO	100-200	0,1 ml	3648-733R-01	395,00 €
Host	Recombinant Rabbit	conc.	RUO	100-200	0,5 ml	3648-733R-05	895,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	3648-733R-1	1.495,00 €

<b>TdT</b>		<b>Format</b>	<b>Status</b>	<b>Dilution</b>	<b>Volume</b>	<b>Catalog Number</b>	<b>Price*</b>
Clone	<b>MSVA-453R</b>	conc.	RUO	75-150	0,1 ml	2904-453R-01	295,00 €
Host	Recombinant Rabbit	conc.	RUO	75-150	0,5 ml	2904-453R-05	545,00 €
Isotype	IgG	conc.	RUO	75-150	1 ml	2904-453R-1	895,00 €

<b>TFF-1</b>		<b>Format</b>	<b>Status</b>	<b>Dilution</b>	<b>Volume</b>	<b>Catalog Number</b>	<b>Price*</b>
Clone	<b>MSVA-482M</b>	conc.	RUO	100-200	0,1 ml	MSVA-482M-01	295,00 €
Host	Mouse	conc.	RUO	100-200	0,5 ml	MSVA-482M-05	595,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	MSVA-482M-1	995,00 €

<b>Thyroglobulin</b>		<b>Format</b>	<b>Status</b>	<b>Dilution</b>	<b>Volume</b>	<b>Catalog Number</b>	<b>Price*</b>
Clone	<b>MSVA-189R</b>	conc.	RUO	100-200	0,1 ml	2119-189R-01	295,00 €
Host	Recombinant Rabbit	conc.	RUO	100-200	0,5 ml	2119-189R-05	545,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	2119-189R-1	895,00 €

<b>TIM3</b>		<b>Format</b>	<b>Status</b>	<b>Dilution</b>	<b>Volume</b>	<b>Catalog Number</b>	<b>Price*</b>
Clone	<b>MSVA-366R</b>	conc.	RUO	100-200	0,1 ml	3484-366R-01	445,00 €
Host	Recombinant Rabbit	conc.	RUO	100-200	0,5 ml	3484-366R-05	1.675,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	3484-366R-1	2.995,00 €

<b>TOP2A / TOPO2A</b>		<b>Format</b>	<b>Status</b>	<b>Dilution</b>	<b>Volume</b>	<b>Catalog Number</b>	<b>Price*</b>
Clone	<b>MSVA-802R</b>	conc.	RUO	100-200	0,1 ml	3172-802R-01	295,00 €
Host	Recombinant Rabbit	conc.	RUO	100-200	0,5 ml	3172-802R-05	645,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	3172-802R-1	1.095,00 €

<b>TRIM29</b>		<b>Format</b>	<b>Status</b>	<b>Dilution</b>	<b>Volume</b>	<b>Catalog Number</b>	<b>Price*</b>
Clone	<b>MSVA-629M</b>	conc.	RUO	100-200	0,1 ml	4452-629M-01	295,00 €
Host	Mouse	conc.	RUO	100-200	0,5 ml	4452-629M-05	545,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	4452-629M-1	895,00 €

<b>TRPS1</b>		<b>Format</b>	<b>Status</b>	<b>Dilution</b>	<b>Volume</b>	<b>Catalog Number</b>	<b>Price*</b>
Clone	<b>MSVA-512R</b>	conc.	RUO	100-200	0,1 ml	5676-512R-01	295,00 €
Host	Recombinant Rabbit	conc.	RUO	100-200	0,5 ml	5676-512R-05	595,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	5676-512R-1	995,00 €

\*Price not including VAT

<b>TTF-1</b>		<b>Format</b>	<b>Status</b>	<b>Dilution</b>	<b>Volume</b>	<b>Catalog Number</b>	<b>Price*</b>
Clone	<b>MSVA-312R</b>	conc.	RUO	100-200	0,1 ml	5805-312R-01	295,00 €
Host	Recombinant Rabbit	conc.	RUO	100-200	0,5 ml	5805-312R-05	595,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	5805-312R-1	995,00 €

<b>Uroplakin 1A</b>		<b>Format</b>	<b>Status</b>	<b>Dilution</b>	<b>Volume</b>	<b>Catalog Number</b>	<b>Price*</b>
Clone	<b>MSVA-735M</b>	conc.	RUO	100-200	0,1 ml	4386-735M-01	295,00 €
Host	Mouse	conc.	RUO	100-200	0,5 ml	4386-735M-05	545,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	4386-735M-1	895,00 €

<b>Uroplakin 1B</b>		<b>Format</b>	<b>Status</b>	<b>Dilution</b>	<b>Volume</b>	<b>Catalog Number</b>	<b>Price*</b>
Clone	<b>MSVA-734M</b>	conc.	RUO	100-200	0,1 ml	3797-734M-01	295,00 €
Host	Mouse	conc.	RUO	100-200	0,5 ml	3797-734M-05	545,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	3797-734M-1	895,00 €

<b>Uroplakin 3B</b>		<b>Format</b>	<b>Status</b>	<b>Dilution</b>	<b>Volume</b>	<b>Catalog Number</b>	<b>Price*</b>
Clone	<b>MSVA-736M</b>	conc.	RUO	100-200	0,1 ml	4879-736M-01	295,00 €
Host	Mouse	conc.	RUO	100-200	0,5 ml	4879-736M-05	595,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	4879-736M-1	995,00 €

<b>Villin</b>		<b>Format</b>	<b>Status</b>	<b>Dilution</b>	<b>Volume</b>	<b>Catalog Number</b>	<b>Price*</b>
Clone	<b>MSVA-459R</b>	conc.	RUO	100-200	0,1 ml	2576-459R-01	295,00 €
Host	Recombinant Rabbit	conc.	RUO	100-200	0,5 ml	2576-459R-05	545,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	2576-459R-1	895,00 €

<b>Vimentin</b>		<b>Format</b>	<b>Status</b>	<b>Dilution</b>	<b>Volume</b>	<b>Catalog Number</b>	<b>Price*</b>
Clone	<b>MSVA-458R</b>	conc.	RUO	100-200	0,1 ml	2914-458R-01	295,00 €
Host	Recombinant Rabbit	conc.	RUO	100-200	0,5 ml	2914-458R-05	545,00 €
Isotype	IgG	conc.	RUO	100-200	1 ml	2914-458R-1	895,00 €

<b>vWF (von Willebrand Factor)</b>		<b>Format</b>	<b>Status</b>	<b>Dilution</b>	<b>Volume</b>	<b>Catalog Number</b>	<b>Price*</b>
Clone	<b>MSVA-521R</b>	conc.	RUO	50-100	0,1 ml	2760-521R-01	295,00 €
Host	Recombinant Rabbit	conc.	RUO	50-100	0,5 ml	2760-521R-05	545,00 €
Isotype	IgG	conc.	RUO	50-100	1 ml	2760-521R-1	895,00 €

<b>XRCC5/Ku-p80</b>		<b>Format</b>	<b>Status</b>	<b>Dilution</b>	<b>Volume</b>	<b>Catalog Number</b>	<b>Price*</b>
Clone	<b>MSVA-880M</b>	conc.	RUO	100-200	0,1 ml	5160-880M-01	295,00€
Host	Mouse	conc.	RUO	100-200	0,5 ml	5160-880M-05	595,00€
Isotype	IgG	conc.	RUO	100-200	1 ml	5160-880M-1	995,00€

<b>ZAP-70</b>		<b>Format</b>	<b>Status</b>	<b>Dilution</b>	<b>Volume</b>	<b>Catalog Number</b>	<b>Price*</b>
Clone	<b>MSVA-870R</b>	conc.	RUO	100-200	0,1 ml	3513-870R-01	295,00€
Host	Recombinant Rabbit	conc.	RUO	100-200	0,5 ml	3513-870R-05	595,00€
Isotype	IgG	conc.	RUO	100-200	1 ml	3513-870R-1	995,00€

\*Price not including VAT





**MS Validated Antibodies GmbH**

Bergstedter Chaussee 62a

22395 Hamburg

Tel: +49 (0) 40 89 72 55 81

E-Mail:[info@ms-validatedantibodies.com](mailto:info@ms-validatedantibodies.com)

**Website:** [ms-validatedantibodies.com](http://ms-validatedantibodies.com)



**SCAN ME**

